

Saara Raulo, Thomas Grönthal, Erja Mäkelä ja Saara Salmenlinna

**Katsaus tuotantoeläimiin liittyvästä MRSA:sta ja sen vaikutuksista ja hallintamahdollisuuksista Suomessa**

**Review on MRSA in production animals and its consequences and management options in Finland**

**LÄHDEVIITTEET**

1. Crespo-Piazuelo D, Lawlor PG. Livestock-associated methicillin-resistant *Staphylococcus aureus* (LA-MRSA) prevalence in humans in close contact with animals and measures to reduce on-farm colonisation. *Ir Vet J.* 2021;74:21.
2. Park S, Ronholm J. *Staphylococcus aureus* in agriculture: Lessons in evolution from a multispecies pathogen. *Clin Microbiol Rev.* 2021;34:e00182-20.
3. Chen C-Y, Chen W-C, Lai C-C. Anti-MRSA cephalosporin versus vancomycin-based treatment for acute bacterial skin and skin structure infection: A systematic review and meta-analysis of randomized controlled trials. *Antibiotics* 2021;10:1020.
4. Stenehjem E, Rimland D. MRSA nasal colonization burden and risk of MRSA infection. *Am J Infect Control* 2013;41:405-10.
5. Kinross P, Petersen A, Skov R. Livestock-associated methicillin-resistant *Staphylococcus aureus* (MRSA) among human MRSA isolates, European Union/European Economic Area countries, 2013. *Euro Surveill.* 2017;22:16-00696.
6. Lewis HC, Molbak K, Reese C. Pigs as source of methicillin-resistant *Staphylococcus aureus* CC398 infections in humans, Denmark. *Emerg Infect Dis J.* 2008;14:1383.
7. Cuny C, Wieler LH, Witte W. Livestock-associated MRSA: The impact on humans. *Antibiotics* 2015;4:521-43.
8. Salmenlinna S, Raulo S, Lindholm L. MRSA CC398 ihmisillä: Tulisiko zoonoottisen mikrobilääkeresistenssin leviäminen estää? *Lääkärilehti* 2021;35:46-52.
9. Aubry-Damon H, Grenet K, Sall-Ndiaye P. Antimicrobial resistance in commensal flora of pig farmers. *Emerg Infect Dis.* 2004;10:873-9.
10. Voss A, Loeffen F, Bakker J. Methicillin-resistant *Staphylococcus aureus* in pig farming. *Emerg Infect Dis.* 2005;11:1965-6.
11. Salmenlinna S, Lyytikäinen O, Vainio A. Human cases of methicillin-resistant *Staphylococcus aureus* CC398, Finland. *Emerg Infect Dis.* 2010;16:1626-9.
12. Hartmann FA, Trostle SS, Klohn AA. Isolation of methicillin-resistant *Staphylococcus aureus* from a postoperative wound infection in a horse. *J Am Vet Med Assoc.* 1997;211:590-2.
13. Dong Q, Liu Y, Li W. Cross-species transmission risk of livestock-associated MRSA: A systematic review and Bayesian meta-analysis of global data. *Prev Vet Med.* 2021;194:105429.
14. EFSA. Analysis of the baseline survey on the prevalence of methicillin-resistant *Staphylococcus aureus* (MRSA) in holdings with breeding pigs, in the EU, 2008, Part A: MRSA prevalence estimates; on request from the European Commission. *EFSA J.* 2009;7:1376, 20-39.
15. EFSA, ECDC, 2022. The European Union summary report on antimicrobial resistance in zoonotic and indicator bacteria from humans, animals and food in 2019–2020. *EFSA J.* 2022;20:7209, 197.
16. Hansen JE, Ronco T, Stegger M. LA-MRSA CC398 in dairy cattle and veal calf farms indicates spillover from pig production. *Front Microbiol.* 2019;10:2733.

17. Price LB, Stegger M, Hasman H. *Staphylococcus aureus* CC398: host adaptation and emergence of methicillin resistance in livestock. *mBio* 2012;3:e00305-11.
18. EFSA, ECDC, 2021. The European Union summary report on antimicrobial resistance in zoonotic and indicator bacteria from humans, animals and food in 2018/2019. *EFSA J.* 2021;19:6490, 117-33.
19. Mulders MN, Haenen APJ, Geenen PL. Prevalence of livestock-associated MRSA in broiler flocks and risk factors for slaughterhouse personnel in The Netherlands. *Epidemiol Infect.* 2010;138:743–55.
20. Vossenkuhl B, Brandt J, Fetsch A. Comparison of spa types, SCCmec types and antimicrobial resistance pro-files of MRSA isolated from turkeys at farm, slaughter and from retail meat indicates transmission along the production chain. *PloS One* 2014;9:e96308.
21. Graveland H, Wagenaar JA, Heesterbeek J. Methicillin resistant *Staphylococcus aureus* ST398 in veal calf farming: human MRSA carriage related with animal antimicrobial usage and farm hygiene. *PLoS One* 2010;5:e10990.
22. EFSA, ECDC, 2020. The European Union summary report on antimicrobial resistance in zoonotic and indicator bacteria from humans, animals and food in 2017/2018. *EFSA J.* 2020;18:6007, 66.
23. Korsgaard HB, Ellis-Iversen J. Use of antimicrobial agents and occurrence of antimicrobial resistance in bacteria from food animals, food and humans in Denmark. *DANMAP 2019, 2020*:80,131-5.
24. Hansen JE, Larsen AR, Skov RL. Livestock-associated methicillin-resistant *Staphylococcus aureus* is widespread in farmed mink (*Neovison vison*). *Vet Microbiol.* 2017;207:44-9.
25. Fertner M, Pedersen K, Jensen. Within-farm prevalence and environmental distribution of livestock-associated methicillin-resistant *Staphylococcus aureus* in farmed mink (*Neovison vison*). *Vet Microbiol.* 2019;231:80-6.
26. Larsen AR, Petersen A, Larsen J. LA-MRSA CC398 in animals and humans. Use of antimicrobial agents and occurrence of antimicrobial resistance in bacteria from food animals, food and humans in Denmark. *DANMAP, 2018.* 2019:151-2.
27. Parisi A, Caruso M, Normanno G. High occurrence of methicillin-resistant *Staphylococcus aureus* in horses at slaughterhouses compared with those for recreational activities: A professional and food safety concern? *Foodborne Pathog Dis.* 2017;14:735-41.
28. Islam MZ, Espinosa-Gongora C, Damborg P. Horses in Denmark are a reservoir of diverse clones of methicillin-resistant and -susceptible *Staphylococcus aureus*. *Front. Microbiol.* 2017;8:543.
29. van Duijkeren E, Moleman M, Sloet van Oldruitenborgh-Oosterbaan MM. J. Methicillin-resistant *Staphylococcus aureus* in horses and horse personnel: An investigation of several outbreaks, *Vet Microbiol.* 2010;141:96-102.
30. Cuny C, Abdelbary MMH, Köck R. Methicillin-resistant *Staphylococcus aureus* from infections in horses in Germany are frequent colonizers of veterinarians but rare among MRSA from infections in humans. *One Health* 2016;2:11-7.
31. Bortolami A, Williams NJ, McGowan C. Environmental surveillance identifies multiple introductions of MRSA CC398 in an equine veterinary hospital in the UK, 2011–2016. *Sci Rep.* 2017;7:5499.
32. Bergström K, Nyman G, Widgren S. Infection prevention and control interventions in the first outbreak of methicillin-resistant *Staphylococcus aureus* infections in an equine hospital in Sweden. *Acta Vet Scand.* 2012;54:14.

33. van den Broek IV, van Cleef BA, Haenen A. Methicillin-resistant *Staphylococcus aureus* in people living and working in pig farms. *Epidemiol Infect.* 2009;137:700-8.
34. van Cleef BA, van Benthem BHB, Verkade EJM. Dynamics of methicillin-resistant *Staphylococcus aureus* and methicillin-susceptible *Staphylococcus aureus* carriage in pig farmers: A prospective cohort study. *Clin Microbiol Infect.* 2014;20:764-71.
35. Dahms C, Hübner N-O, Cuny C. Occurrence of methicillin-resistant *Staphylococcus aureus* in farm workers and the livestock environment in Mecklenburg-Western Pomerania, Germany. *Acta Vet Scand.* 2014;21:53.
36. Cuny C, Nathaus R, Layer F. Nasal colonization of human with methicillin-resistant *Staphylococcus aureus* (MRSA) CC398 with and without exposure to pigs. *PloS One* 2009;4:e6800.
37. Köck R, Loth B, Mahir Köksal M. Persistence of nasal colonization with livestock-associated methicillin-resistant *Staphylococcus aureus* in pig farmers after holidays from pig exposure. *Appl Environ Microbiol.* 2012;78:4046-7.
38. Angen Ø, Feld L, Larsen J. Transmission of methicillin-resistant *Staphylococcus aureus* to human volunteers visiting a swine farm. *Appl Environ Microbiol.* 2017;83:e01489-17.
39. Bos M, Verstappen KM, van Cleef B. Transmission through air as a possible route of exposure for MRSA. *J Exp Sci Environ Epidemiol.* 2016;26:263-9.
40. Ivbule M, Edvīns M, Liene Č. Presence of methicillin-resistant *Staphylococcus aureus* in slaughterhouse environment, pigs, carcasses, and workers. *J Vet Res.* 2017;61:267-77.
41. van Cleef BA, Broens EM, Voss A. High prevalence of nasal MRSA carriage in slaughterhouse workers in contact with live pigs in the Netherlands. *Epidemiol Infect.* 2010; 138:756-63.
42. van Cleef BA, van Benthem BH, Verkade EJ. Livestock-associated MRSA in household members of pig farmers: transmission and dynamics of carriage, a prospective cohort study. *PLoS One* 2015;10:e0127190.
43. Anker JCH, Koch A, Ethelberg S. Distance to pig farms as risk factor for community-onset livestock-associated MRSA CC398 infection in livestock-associated persons without known contact to pig farms—A nationwide study. *Zoonoses Publ Health* 2018;65:352-60.
44. Sergelidis D, Angelidis AS. Methicillin-resistant *Staphylococcus aureus*: A controversial food-borne pathogen. *Lett Appl Microbiol.* 2017;64:409–18.
45. Wendlandt S, Schwarz S, Silley P. Methicillin-resistant *Staphylococcus aureus*: a food-borne pathogen? *Annu Rev Food Sci Technol.* 2013;4:117-39.
46. van Duijkeren E, Ten Horn L, Wagenaar JA. Suspected horse-to-human transmission of MRSA ST398. *Emerg Infect Dis.* 2011;17:1137-9.
47. Garcia-Graells C, Antoine J, Larsen J. Livestock veterinarians at high risk of acquiring methicillin-resistant *Staphylococcus aureus* ST398. *Epidemiol Infect.* 2012;140:383-9.
48. Taus K, Schmoll F, El-Khatib Z. Occupational swine exposure and hepatitis E virus, *Leptospira*, *Ascaris suum* seropositivity and MRSA colonization in Austrian veterinarians, 2017-2018-A cross-sectional study. *Zoonoses Publ Health* 2019;66:842-51.
49. Terveiden ja hyvinvoinnin laitos. Tartuntataudit Suomessa 2020. *THL* 2021:52-54.
50. Nykäsenoja S, Salmenlinna S, Myllyniemi A-L. Metisilliiniresistentti *Staphylococcus aureus* (MRSA) kotieläimillä ja sen merkitys eläinten ja ihmisten välisiin tartuntoihin. *Maa- ja metsätalousministeriö* 2015;7:7-11.
51. Verkola M, Pietola E, Järvinen A. Low prevalence of zoonotic multidrug-resistant bacteria in veterinarians in a country with prudent use of antimicrobials in animals. *Zoonoses Publ Health* 2019;66:667-78.

52. Nuotio L, Myllyniemi A-M, Nykäsenoja S. Finnish veterinary antimicrobial resistance monitoring and consumption of antimicrobial agents. *FINRES-Vet* 2007-2009. *Evira* 2011;1:52.
53. Nykäsenoja S, Pekkanen K. Finnish veterinary antimicrobial resistance monitoring and consumption of antimicrobial agents. *FINRES-Vet* 2010-2012. *Evira* 2015;2:40-47.
54. Nykäsenoja S, Pohjanvirta T, Biström M. Finnish veterinary antimicrobial resistance monitoring and consumption of antimicrobial agents. *FINRES-Vet* 2016–2017. *Evira* 2018;5:29-37.
55. Agersø Y, Seyfarth AM, Petersen A. Livestock associated methicillin-resistant *Staphylococcus aureus* (LA-MRSA). Use of antimicrobial agents and occurrence of antimicrobial resistance in bacteria from food animals, food and humans in Denmark. *DANMAP* 2012 2013:101-2.
56. Nykäsenoja S, Olkkola S, Pohjanvirta T. Finnish veterinary antimicrobial resistance monitoring and consumption of antimicrobial agents. *FINRES-Vet* 2021. Finnish Food Authority 2022;6:30.
57. Heikinheimo A, Johler S, Karvonen L. New dominant spa type t2741 in livestock-associated MRSA (CC398-MRSA-V) in Finnish fattening pigs at slaughter. *Antimicrob Resist Infect Control* 2016;5:6.
58. Nykäsenoja S, Olkkola S, Pohjanvirta T. Finnish veterinary antimicrobial resistance monitoring and consumption of antimicrobial agents. *FINRES-Vet* 2019. Finnish Food Authority 2020;5:31.
59. Nykäsenoja S, Olkkola S, Pohjanvirta T. Finnish veterinary antimicrobial resistance monitoring and consumption of antimicrobial agents. *FINRES-Vet* 2020. Finnish Food Authority 2021;6:37-8.
60. Gindonis V, Taponen S, Myllyniemi AL. Occurrence and characterization of methicillin-resistant staphylococci from bovine mastitis milk samples in Finland. *Acta Vet Scand.* 2013;55:61.
61. Nykäsenoja S, Pohjanvirta T, Olkkola S. Finnish veterinary antimicrobial resistance monitoring and consumption of antimicrobial agents. *FINRES-Vet* 2013-2015. *Evira* 2017;5:35-44.
62. Elintarviketurvallisuusvirasto Evira. Eläintaudit Suomessa 2009. *Evira* 2010;8:10.
63. Pirolo M, Sieber RN, Moodley A. Local and transboundary transmissions of methicillin-resistant *Staphylococcus aureus* sequence type 398 through pig trading. *Appl Environ Microbiol.* 2020;86:e00430-20.
64. Pekkanen K, Laine T. Afrikkalaisen sikaruton mahdollisia maahantuloreittejä - riskiprofiilin päivitys 2017. *Eviran tutkimuksia* 4/2011, päivitetty 2017.
65. Grontvedt CA, Elstrøm P, Stegger M. Methicillin-resistant *Staphylococcus aureus* CC398 in humans and pigs in Norway: A “One Health” perspective on introduction and transmission. *Clin Inf Dis.* 2016;63:1431–8.
66. Alt K, Fetsch A, Schroeter A. Factors associated with the occurrence of MRSA CC398 in herds of fattening pigs in Germany. *BMC Vet Res.* 2011;7:69.
67. Sorensen AIV, Jensen VF, Boklund A. Risk factors for the occurrence of livestock-associated methicillin-resistant *Staphylococcus aureus* (LA-MRSA) in Danish pig herds. *Prev Vet Med.* 2018;159:22-9.
68. Sorensen AIV, Rosendal T, Widgren S. Mechanistic modelling of interventions against spread of livestock-associated methicillin-resistant *Staphylococcus aureus* (LA-MRSA) within a Danish farrow-to-finish pig herd. *PLoS One* 2018;13:e0200563.
69. Espinosa-Gongora C, Broens EM, Moodley A. Transmission of MRSA CC398 strains between pig farms related by trade of animals. *Vet Rec.* 2012;170:564.

70. Sieber RN, Skov RL, Nielsen J. Drivers and dynamics of methicillin-resistant livestock-associated *Staphylococcus aureus* CC398 in pigs and humans in Denmark. *mBio* 2018;9:e02142-18.
71. Salmenlinna S, Lindholm L, Raulo S. Zoonoottinen MRSA; torjunta sikatiloilla työskentelevillä. Loppuraportti, THL Työpaperi 2019;28.
72. Schulz J, Boklund A, Toft N. Effects of control measures on the spread of LA-MRSA among Danish pig herds between 2006 and 2015 – a simulation study. *Sci Rep*. 2019;9:691.
73. Schulz J, Anika Friese A, Sylvia Klees S. Longitudinal study of the contamination of air and of soil surfaces in the vicinity of pig barns by livestock-associated methicillin-resistant *Staphylococcus aureus*. *Appl Environ Microbiol*. 2012;78:5666-71.
74. Angen Ø, Nielsen MW, Løfstrøm P. Airborne spread of methicillin resistant *Staphylococcus aureus* from a swine farm. *Front Vet Sci*. 2021;8:644-729.
75. Ferguson DD, Smith TC, Hanson BM. Detection of airborne methicillin-resistant *Staphylococcus aureus* inside and downwind of a swine building, and in animal feed: Potential occupational, animal health, and environmental implications. *J Agromed*. 2016;21:149-53.
76. Stelder JJ, Kjær LJ, Jensen LB. MRSA survival on house flies (*Musca domestica*) and stable flies (*Stomoxys calcitrans*) after removal from a Danish pig farm. *Sci Rep*. 2021;11:3527.
77. Casey JA, Curriero FC, Cosgrove SE. High-density livestock operations, crop field application of manure, and risk of community-associated methicillin-resistant *Staphylococcus aureus* infection in Pennsylvania. *J Am Med Assoc Internat Med*. 2013;173:1980-90.
78. Astrup LB, Hansen JE, Pedersen K. Occurrence and survival of livestock-associated MRSA in pig manure and on agriculture fields. *Antibiotics* 2021;10:448.
79. Silva V, Capelo JL, Igrejas G. Molecular epidemiology of *Staphylococcus aureus* lineages in wild animals in Europe: A review. *Antibiotics* 2020;9:122.
80. Dierikx CM, Hengeveld PD, Veldman KT. Ten years later: still a high prevalence of MRSA in slaughter pigs despite a significant reduction in antimicrobial usage in pigs in the Netherlands. *J Antimicrob Chemother*. 2016;71:2414-8.
81. Cavaco L, Hasman H, Aarestrup F. Zinc resistance of *Staphylococcus aureus* of animal origin is strongly associated with methicillin-resistance. *Vet Microbiol*. 2011;150:344-8.
82. Jensen J, Kyvsgaard NC, Battisti A. Environmental and public health related risk of veterinary zinc in pig production - Using Denmark as an example. *Environ Internat*. 2018;114:181-90.
83. Schollenbruch H, Kobusch I, Schröter I. Pilot study on alteration of LA-MRSA status of pigs during fattening period on straw bedding by two types of cleaning. *Antibiotics* 2021;10:521.
84. Hippolis, Suomen Hippos ry, Suomen Ratsastajainliitto ry, Luke Hevostalous [kotisivu internetissä]. Hevostalous lukuina 2020. <https://www.hippos.fi/uploads/sites/1/2021/09/3677ab1d-hevostalous-lukuina-2020.pdf>
85. Ericsson Unnerstad H, Wahlström H, Molander B. Methicillin-resistant *Staphylococcus aureus* not detected in Swedish nucleus and multiplying pig herds. *Infect Ecol Epidemiol*. 2017;7:1313068.
86. Gård&Djurhalsan [kotisivu internetissä]. Bra skydd för personal och besökare vid bekräftad eller misstänkt LA-MRSA i besättningen. <https://www.gardochdjurhalsan.se/om-gris-mrsa-for-djuragare/>

87. Höjgård S, Aspevall O, Bengtsson B. Preventing introduction of livestock associated MRSA in a pig population – benefits, costs, and knowledge gaps from the Swedish perspective. PLoS One 2015;10:e0122875.
88. Olsen JV, Calvo Artavia FF, Sandøe P. Modeling the cost of eradicating livestock-associated methicillin-resistant *Staphylococcus aureus* in countries with a high proportion of positive herds. Prev Vet Med. 2018;158:97-105.
89. Danish Minister of Food and Environment. Action plan for controlling livestock-associated MRSA (LA MRSA CC398), huhtikuu 2015.
90. Hansen JE, Stegger M, Pedersen K. Spread of LA-MRSA CC398 in Danish mink (*Neovison vison*) and mink farm workers. Vet Microbiol. 2020;245:108705.
91. Elintarviketurvallisuusvirasto Evira. Metisilliiniresistentti *Staphylococcus aureus* -suositus tartunnan torjunnasta ja ehkäisystä eläimillä. Evira 2010;9.
92. Työterveyslaitos [kotisivu internetissä]. Suojautuminen pölyltä ja mikrobeilta sikalassa ja sikoja käsiteltäessä. Riskienhallinnan malliratkaisut, Työterveyslaitos. 2019. file:///C:/Users/03044737/Downloads/malliratkaisu-suojautuminen-pölylta-ja-mikrobeilta-sikalassa.pdf
93. Helsingin yliopisto, Eläinlääketieteellinen tiedekunta [kotisivu internetissä]. MRSA-infektiölöydös tehostaa torjuntatoimia Hevossairaalassa. [Verkkosivu uutinen 6.8.2019]. <https://www2.helsinki.fi/fi/uutiset/elamantieteet/mrsa-infektioloydos-tehostaa-torjuntatoimia-hevossairaalassa>)
94. Nadimpalli ML, Stewart JR, Pierce E. Face mask use and persistence of livestock-associated *Staphylococcus aureus* nasal carriage among industrial hog operation workers and household contacts, USA. Environ Health Perspect. 2018;126:127005.
95. Angen Ø, Larsen J, Larsen AR. MRSA contamination of human volunteers after short time visit in MRSA positive pig farms. Use of antimicrobial agents and occurrence of antimicrobial resistance in bacteria from food animals, food and humans in Denmark. DANMAP 2017. 2018:79-80.
96. Verkola M, Järvelä T, Järvinen A. Infection prevention and control practices of ambulatory veterinarians: A questionnaire study in Finland. Vet Med Sci. 2021;7:1059-70.
97. Työturvallisuuslaki 738/2002.
98. Sali V. Biosecurity and antimicrobial use in pig production. Helsingin yliopisto [Lisensiaattityö], 2020.
99. Yun J, Muurinen J, Nykäsenoja S. Antimicrobial use, biosecurity, herd characteristics, and antimicrobial resistance in indicator *Escherichia coli* in ten Finnish pig farms. Prev Vet Med. 2021;193:105408.